

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	(traceroute or "trace route" or "tracert.exe") same ((physical or geographic\$5) near (location\$1 or site\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:14
S2	4	((traceroute or "trace route" or "tracert.exe") same ((physical or geographic\$5) near (location\$1 or site\$1))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 03:31
S3	545	(traceroute or "trace route" or "tracert.exe")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:09
S4	105456	(find\$3 or locat\$3) same (physical or geographic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:39
S5	35	((find\$3 or locat\$3) same (physical or geographic)) same ((traceroute or "trace route" or "tracert.exe"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:11
S6	9	((find\$3 or locat\$3) same (physical or geographic)) same ((traceroute or "trace route" or "tracert.exe")) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:11
S7	247	((traceroute or "trace route" or "tracert.exe")) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 12:34
S8	363	(pars\$3 or split\$4) near2 ("domain name" or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:49
S9	89	((find\$3 or locat\$3) same (physical or geographic)) and ((pars\$3 or split\$4) near2 ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:41

EAST Search History

S10	2	((find\$3 or locat\$3) same (physical or geographic)) same ((pars\$3 or split\$4) near2 ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:41
S11	54	((((find\$3 or locat\$3) same (physical or geographic)) and ((pars\$3 or split\$4) near2 ("domain name" or URL))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:49
S12	31	(pars\$3 or split\$4) near2 ("domain name")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 16:49
S13	20	((pars\$3 or split\$4) near2 ("domain name")) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 17:57
S14	2	("regular expression" or regex) near4 "domain name"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:17
S15	3103	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 17:56
S16	1654	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 17:57
S17	106	709/224.ccls. and 709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 17:57
S18	79	(709/224.ccls. and 709/238.ccls.) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 18:11
S19	753	370/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 18:11

EAST Search History

S20	14	709/224.ccls. and 370/351.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 18:11
S21	11	(709/224.ccls. and 370/351.ccls.) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 18:16
S22	1357	709/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/24 18:17
S23	4	"6151631".URPN.	USPAT	OR	OFF	2004/06/24 19:59
S24	27	((pars\$3 or split\$4) near2 ("domain name")) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 03:23
S25	12	(709/224.ccls. and 370/351.ccls.) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 03:27
S26	101	(709/224.ccls. and 709/238.ccls.) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 03:28
S27	7	((traceroute or "trace route" or "tracert.exe") same ((physical or geographic\$5) near (location\$1 or site\$1))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 03:31
S28	1	"7062572".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/07 10:25
S29	21	("20020069420" "20040078490" "4839853" "5537491" "5619709" "5710915" "5748805" "5832494" "5864855" "5915250" "5940825" "5974412" "6021406" "6151631" "6373817" "6424933" "6463270" "6665715" "6757740" "6829654" "6836476").PN. OR ("7062572"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/07 10:26
S30	1	"20040083342".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/07 11:19

EAST Search History

S31	1	"20040004833".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/07 11:19
S32	1	"20020004833".pn.	US-PGPUB; USPAT	OR	OFF	2006/08/07 11:19
S33	961	((traceroute or "trace route" or "tracert.exe")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 12:34
S34	6	("regular expression" or regex) with "domain name"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 13:18
S35	1	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 13:17
S36	2	("2002/0143991").URPN.	USPAT	OR	OFF	2006/08/07 13:19
S37	2	S33 same (geograph\$4 with ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 13:21
S38	62	S33 and (geograph\$4 same ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/07 13:21
S39	18	S38 and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:38
S40	6	("regular expression" or regex) with "domain name"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:45
S41	1	S40 and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:45

EAST Search History

S42	2	"6185598".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:41
S43	71	("regular expression" or regex) with URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:45
S44	21	S43 and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:48
S45	57	pars\$3 with "domain name" and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:49
S46	20	pars\$3 near "domain name" and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 10:54
S47	2	S46 and ("regular expression" or regex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 11:17
S48	2	"6244758".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 11:17
S49	1	"20020143991".pn.	US-PGPUB; USPAT	OR	OFF	2007/04/13 17:39
S50	372	Uunet	US-PGPUB; USPAT	OR	OFF	2007/04/13 17:39
S51	13	S50 same "domain name"	US-PGPUB; USPAT	OR	OFF	2007/04/13 17:43
S52	0	S51 and (@ad<"20010316" and @rlad<"20010316")	US-PGPUB; USPAT	OR	OFF	2007/04/13 19:14
S53	221	geograph\$4 with "domain name"	US-PGPUB; USPAT	OR	OFF	2007/04/13 17:43
S54	15	S53 and (@ad<"20010316" and @rlad<"20010316")	US-PGPUB; USPAT	OR	OFF	2007/04/13 19:13

EAST Search History

S55	77	(tracert.exe) same (geograph\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:14
S56	58899	S55 same "domain name" or URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:14
S57	22	S55 same ("domain name" or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:16
S58	1	S57 and (@ad<"20010316" and @rlad<"20010316")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:16
S59	53	S55 and ("domain name" or URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:16
S60	1	S59 and (@ad<"20010316" and @rlad<"20010316")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:16
S61	9	((tracert.exe) same ((physical or geographic\$5) near (location\$1 or site\$1))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:18
S62	15	((find\$3 or locat\$3) same (physical or geographic)) same ((tracert.exe)) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:18
S63	5	((find\$3 or locat\$3) same (physical or geographic)) same ((pars\$3 or split\$4) near2 ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:18

EAST Search History

S64	4	("regular expression" or regex) near4 "domain name"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 19:18
S65	1	(S61 S62 S63 S64) and @pd>"20060808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 11:30
S66	10	((tracert.exe or "trace route" or "tracert.exe") same ((physical or geographic\$5) near (location\$1 or site\$1))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 11:30
S67	16	((((find\$3 or locat\$3) same (physical or geographic)) same ((tracert.exe or "trace route" or "tracert.exe"))) and @ad<"20010316"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 11:30
S68	5	((find\$3 or locat\$3) same (physical or geographic)) same ((pars\$3 or split\$4) near2 ("domain name" or URL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 11:30
S69	5	("regular expression" or regex) near4 "domain name"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 11:30
S70	3	(S66 S67 S68 S69) and @pd>"20070401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 12:53
S71	2099	709/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/06 12:54